

Wisconsin Electrophysiology Group published abstracts

2008

Mortada ME, Krum D, Gilbert C, Singh R, Jammula P, Soubelet E, Belanger B, Vaillant R, Mohan A, Akhtar M, Sra J. Feasibility of ECG-gated CT-fluoroscopy registration in catheter-based atrial fibrillation ablation. *J Am Coll Cardiol* 2008 (*in press*).

Mehmood F, Mortada ME. Implantable cardioverter-defibrillator outcomes in cocaine abusers. *J Am Coll Cardiol* 2008 (*in press*).

2006

Chandrasekaran K, Mortada ME, Sheikh I, Narayan G, Nangia V, Cooley R, Bhatia A, Akhtar M, Sra J. Anticoagulation in patients undergoing left atrial ablation for atrial fibrillation. *HeartRhythm* 2006;3:S203.

Nangia V, Hayes C, Anderson AJ, Dhala A, Akhtar M, Sra J. Electrocardiographic predictors of efficacy of cardiac resynchronization therapy. *HeartRhythm* 2006;3:S166.

Pubbi D, Mortada ME, Puppala V, Dhala A, Cooley R, Sra J, Akhtar M, Bhatia A. Effect of cardiac resynchronization therapy on atrial fibrillation burden in patients with heart failure. *HeartRhythm* 2006;3:S157.

Malloy A, Krum D, Bloomgarden D, Akhtar M, Sra J. Does the point of closest approach between the esophagus and the posterior left atrium move with the cardiac cycle? *J Am Coll Cardiol* 2006;139:4A.

2005

Pubbi D, Nangia V, Judson KG, Dhala A, Blanck Z, Jabbarzadeh M, Akhtar M, Sra J. Isthmus-dependent flutter after catheter-based atrial fibrillation ablation. *Circulation* 2005;112:Suppl II-329.

Sheikh I, Chambers A, Krum D, Berger MG, Cooley R, Akhtar M, Sra J. The addition of linear lesions results in improved clinical outcome in patients undergoing atrial fibrillation ablation. *Circulation* 2005;112:Suppl II-556.

Arora V, Krum D, Bloomgarden D, Kazemi S, Akhtar M, Sra J. Detection of a left atrial appendage thrombus using ECG-gated computed tomography. *HeartRhythm* 2005;2:S292-3.

Arora V, Krum D, Akhtar M, Sra J. Rotor in a remnant of the left atrial appendage driving left atrial flutter. *HeartRhythm* 2005;2:S328.

Sra J, Vaillant R, Vass M, Krum D, Akhtar M. Feasibility of registration of 3D left atrial images from computed tomography with projection images from fluoroscopy. *HeartRhythm* 2005;2:S121.

Attari M, Sra J, Hutson DL, Jabbarzadeh M, Kress DC. Comparison of three different left atrial appendectomy techniques by three-dimensional (3-D) CT imaging and endoscopic view reconstruction. *HeartRhythm* 2005;2:S310-11.

Osorio H, Bhatia A, Pubbi D, Blanck Z, Dhala A, Sra J, Berger M, Cooley R, Akhtar M. Biventricular implantable cardioverter-defibrillator in the elderly. *HeartRhythm* 2005;2:S98.

Mortada M, Bhatia A, Bangash A, Nangia V, Sra J, Blanck Z, Dhala A, Berger MG, Cooley R, Akhtar M. Effect of biventricular pacing on plasma B-type natriuretic peptide levels in patients with heart failure. *HeartRhythm* 2005;2:S101.

Bindra S, Cooley R, Bhatia A, Dhala A, Jabbarzadeh M, Berger MG. Initial experience with a novel bipolar coronary venous LV lead (acute pacing characteristics and electronic repositioning) *HeartRhythm* 2005;2:S318.

2004

Burrell MA, Salla P, Sra J. Evaluation of synchronized mechanical and electrical cardiograms in atrial fibrillation and pacemaker patients. *J Cardiovasc Imag* 2004;20:445.

Nangia V, Bhatia A, Solis J, Cooley R, Sra J, Akhtar M. Biventricular pacing and QT prolongation. *PACE* 2004;1(suppl):S54.

Osorio H, Bhatia A, Nangia V, Solis J, Cooley R, Berger MG, Sra J, Akhtar M. Tranvenous left ventricular epicardial pacing leads: a two-year experience of pacing thresholds and lead performance. *PACE* 2004;1(suppl):S83.

2003

Krum D, Hare J, Georgakopoulos ND, Cooley R, Akhtar M, Sra J. Can the left atrial appendage be safely closed without removal? *J Am Coll Cardiol* 41(6A): 132A; 2003.

Sra J, Krum D, Akhtar, M, Okerlund D, Reddy S, Schweitzer J, Olson E. Synchronized registration of the left atrium for atrial fibrillation ablation. *PACE*, 26(4 pt 2): 108 2003.

Goel A, Sra J, Krum D, Akhtar M. Cardiac chamber geometry construction, catheter navigation and ablation using cutaneous patches. *Circulation* 108(17):IV-585. 2003.

Krum D, Hare J, Akhtar M, Okerlund D, Reddy S, Olson E, Schweitzer J, Foley WD, Sra J. Synchronized registration of 3D left atrial CT images with cardiac mapping: validation of registration procedure. *Circulation* 108(17):IV-586, 2003.

2002

Kress DC, Tector AJ, Schmahl TM, Downey FX, McDonald ML, Park C, Krum D, Akhtar M, Sra J. Off-pump epicardial ablation for atrial fibrillation.: Comparison of microwave and radiofrequency techniques. *Heart Surg Forum* 5(Supp 2): S191, 2002.

Blanck Z, Chintamaneni P, Kress DC, Tector AJ, Rehman A, Carp M, Varanasi S, Bhatia A, Akhtar M. Controlled, randomized comparison of right atrial pacing versus biatrial pacing for prevention of atrial fibrillation after cardiac surgery. *J Am Coll Cardiol* 2002;39(5A):90A-91A.

Sra J, Foley D, Okerlund D, Reddy S, Krum D, Schweitzer J. Interventional Planning and Guidance of Ablation Therapy in Atrial Fibrillation Using Cardiac CT. *Radiologic Soc North Am* (in press 2002).

Chekanov V, Dumchius A, Akhtar M. Variations of electrical stimulation regimens for acute thoracic aortomyoplasty in a canine model. *IFESS*; 405-7, 2002.

Chekanov V, Mortada M, Tchekanov G, Krum D, Akhtar M. Slowing atherosclerosis progression or elimination of it: do low frequency electrical impulses help? *IFESS*;371-3, 2002.

Chekanov V, Hare J, Bajwa T, Akhtar M. Electrical stimulation promotes angiogenesis. *IFESS*;327-39, 2002.

Chekanov V Nikolaychik V, Tchekanov G, Kepshidze N. Akhtar M. Autologous endothelial cell transplantation in ischemic sheep myocardium. *Europace* 3;(suppl A):A31, 2002.

Chekanov V, Drum D, Hare J, Bajwa T, Akhtar M. Electrical Stimulation promotes angiogenesis in severe hind limb ischemia. *Europace* 3;(suppl A):A33, 2002.

Chekanov V, Mortada M, Krum D, Hare J, Tchekanov G, Eisenstein R, Akhtar M. Electrical impulses slow atherosclerosis progression in abdominal rabbit aorta. 3;(suppl A):A33, 2002.

Chekanov V, Hare J, Maternovsky M, Berger M, Kress D, Sra J, Akhtar M. Comparison of seven models of chronic heart failure. *Intl J Artificial Organs* 25;(7):669, 2002.

Chekanov V, Hare J, Kress D, Mirhoseini M, Akhtar M. Adaptive cardiac binding: new approach to ventricular remodeling in end-stage congestive heart failure. *Intl J Artificial Organs* 25;(6):674, 2002.

Chekanov V, Maternovsky M, Dumcius A, Akhtar M. Start immediate cardiac assist after aortomyoplasty. *Intl J Artificial Organs* 25;(6):674, 2002.

Chekanov V, Maternovsky M, Akhtar M, Moses J, Kipshidze N. Endothelial cell transplantation into ischemic myocardium. *Intl J Artificial Organs* 25;(6):664, 2002.

Chekanov V, Mortada M, Krum D, Tchekanov G, Eisenstein R, Akhtar M. Electrical impulses prevent development of atherosclerosis in cholesterol fed rabbits. *J Arteriosclerosis Thrombosis Vasc Biol* 22;(5):405, 2002.

Chekanov V, Mortada M, Krum D, Tchekanov G, Eisenstein R, Akhtar M. Diminution of advanced atherosclerosis by electrical impulses in the rabbit abdominal aorta. *J Arteriosclerosis Thrombosis Vasc Biol* 22;(5):405, 2002.

2001

Georgakopoulos ND, Krum D, Hare J, Straszewski S, Deshpande S, Cooley R, Akhtar M, Sra J. Left atrial appendage isolation in a canine model: electrophysiologic and pathophysiologic changes. *Pacing Clin Electrophysiol* 24:714, 2001.

Johnson D, Chekanov V, Nikolaychik V, Kipsidze N. Surgical angiogenesis in the treatment of non-option patients. Abstracts for the scientific conference on therapeutic angiogenesis and myocardial laser revascularization. Santa Fe, New Mexico; 2001, p 47.

Krum D, Kress DC, Hare J, Chekanov V, Michaud N, Akhtar M, Dhala A, Cooley R, Sra J. Use of the non-contact mapping system to identify the cause of postablation atrial tachycardia following surgical atrial fibrillation ablation. *Pacing Clin Electrophysiol* 2001;24(4)II: 691.

Krum D, Kress DC, Hare J, Michaud N, Chekanov V, Alwan I, Blanck Z, Deshpande S, Akhtar M, Sra J. Use of non-contact mapping to characterize atrial fibrillation in a canine mitral regurgitation-rapid atrial pacing model. *Pacing Clin Electrophysiol* 2001: 24(4) II: 713.

Syed ZT, Krum D, Cooley R, Deshpande S, Akhtar M, Sra J. Correlation of spontaneous and induced pulmonary vein ectopy in patients with atrial fibrillation. *Pacing Clin Electrophysiol* 24:721, 2001.

Chekanov V, Cayton M, Kazemi S, Mortada M, Rayel R, Hare J, Maternovsky M, Akhtar M, Mirhoseini M. Electrical stimulation increases angiogenesis and prevents atherosclerosis. National Congress on Cardiovascular Update, Tehran, Iran, 24-25, 2001.

2000

Bhatia A, Sra J, Dhala A, Deshpande S, Baig S, Cooley R, Berger M, Akhtar M. Radiofrequency catheter ablation of atrial tachycardia using noncontact computerized mapping system. *Circulation* 102(18):II-527, 2000.

Kress D, Krum D, Sra J. Clinical results of left atrial radiofrequency linear ablation during open heart surgery: Endocardial and epicardial approach. *Circulation* 102(18):II-444, 2000.

Krum D, Schwartz M, Hare J, Alwan I, Cooley R, Dhala A, Akhtar M, Sra J. Pacing to prevent atrial fibrillation: The effect of high frequency atrial burst pacing algorithms on atrial fibrillation. *Pacing Clin Electrophysiol* 23(4):582, 2000.

Prakash A, Shen WK, Saksena S, Akhtar M, Capucci A, Gold MR, Mehta D, Olshansky B, Wilkoff BL, Cheitlin M. Implantable defibrillator indications and utilization in the elderly and very elderly. *Circulation* 102(18):II-528, 2000.

1999

Bhatia A, Cooley R, Akhtar M, Jazayeri M, Deshpande S, Blanck Z, Dhala A, Sra J. Electroanatomical mapping for ablation of monomorphic ventricular tachycardia refractory to standard therapy. *Pacing Clin Electrophysiol* 22(4):11-798, 1999.

Bygrave A, Waktare J, Camm J, Jung W, Sra J, Dorian P, Paquette M, Wood K. Gender differences in "Quality of Life" in Atrial Fibrillation. *J Am Coll Cardiol* 33:2A:104A, 1999.

Cooley R, Narkiewicz K, Somers V. Alcohol consumption potentiates the hypotensive response to orthostatic stress in normal young adults. *Pacing Clin Electrophysiol* 1999;22:761.

Dhala A, Jazayeri M, Berger S, Pelech A, Litwin BS, Tweddell JS. Feasibility of abdominal implantation of implantable cardioverter defibrillators utilizing and "active can" in children. *Pacing Clin Electrophysiol* 22(4):11-723, 1999.

Jung W, Herwig S, Newman D, Akhtar M, Wood K, Ayers G, Luderitz B, for the InControl Quality of Life Investigators. Impact of atrial fibrillation on quality of life: A prospective, multicenter study. *J Am Coll Cardiol* 33:2:104A, 1999.

Kress D, Krum D, Hare J, Graff N, Mughal K, Mousavi-Javardi R, Akhtar M, Swanson D, Chekanov VS, Sra J. Experience with an epicardial approach to ablation of a persistent atrial fibrillation model: Comparison to endocardial ablation. *Circulation* 1999;18:1-433.

Krum D, Hare J, Mughal K, Mousavi-Javardi R, Sra J, Akhtar M, Jazayeri M. Right versus left atrial modification: Which atrium should be targeted first for control of fibrillation? *J Am Coll Cardiol* 33:2:149A, 1999.

Krum D, Kress D., Chekanov V, Hare J, Mughal K, Mousavi-Javardi R, Graff N, Malloy A, Landis W, Panescu D, Jazayeri M, Akhtar M, Sra J. Radiofrequency ablation of chronic atrial fibrillation using endocardial left atrial appendage and pulmonary vein lesions. *Pacing Clin Electrophysiol* 1999;22(4, part II):905.

1998

Aufderheide T, Dhala A, Thakur R, Brady Jr. W, Lawrence S: QT dispersion and principal component analysis in out-of-hospital patients with chest pain. *Acad Emerg Med* 5(5):522, May, 1998.

Berger MG, Gauthier-Rein K, Liu Y, Jackson WF, Knaus HG, Rusch NJ. Expression of two K⁺ channel families regulates the excitability of small coronary arteries from human left ventricle. *J Am Coll Cardiol* 1998;31:1A.

Berger, MG, Liu Y, Knaus HG, Rusch, NJ. Expression of Shaker type K⁺ channels in small coronary arteries from human left ventricle. *FASEB Journal* 1998.

Fellows C, Mason V, Hoyt R, Sra J, Ayers. Clinical use of the metrix implantable atrial defibrillator. *Circulation* 11:I:I-90, 1998.

Jung W, Herwig S, Camm J, Dorian P, Newman D, Akhtar M, Wood K, Ayers GM, Luderitz B for the InControl Quality of Life Investigators: Are there differences in quality of life measures depending on clinical type of atrial fibrillation? *Pacing Clin Electrophysiol* 21:II-890, 1998.

Jung W, Herwig S, Camm J, Dorian P, Newman D, Akhtar M, Wood K, Ayers GM, Luderitz B for the InControl Quality of Life Investigators: Impact of atrial fibrillation on quality of life: A prospective, multicenter study. *Pacing Clin Electrophysiol* 21:II-891, 1998.

Krum D, Hare J, Mughal K, Mousavi-Javardi R, Deshpande S, Sra J, Akhtar M, Jazayeri M. Does atrial modification lower the atrial defibrillation energy requirement? *Circulation* 11:I:I-564, 1998.

Krum D, Rehman A, Hare J, Mughal K, Akhtar M, Jazayeri M. Ablation of atrial fibrillation in a canine mitral valve regurgitation-rapid atrial pacing model. *J Am Coll Cardiol* 31:2:221A, 1998.

Maglio C, Sra J, Paquette M, Dorian P, Bygrave A, Wood K, Ayers G. Measuring quality of life and symptom severity in patients with atrial fibrillation. *Pacing Clin Electrophysiol* 21:4:197, 1998.

Panotopoulos P, Mughal K, Krum D, Axtell K, Jazayeri MR, Sra J, Dhala A, Blanck Z, Akhtar M, Deshpande S: Ventricular fibrillation sensing and detection with the jewel defibrillator: effect of programmed sensitivity threshold. *J Am Coll Cardiol* 31:2:294A, 1998.

Timmermans C, Levy S, Tavernier R, Darpo B, Edvardsson N, Freedman R, Strickberger A, Sra J, Wilkoff B, Wellens Hein JJ. Ambulatory use of the metrix automatic implantable atrial defibrillator to treat episodes of atrial fibrillation. *Pacing Clin Electrophysiol* 21:4:85, 1998.

1997

Aufderheide T, Dhala A, Thakur R, Lawrence S: QT Dispersion and principal component analysis in prehospital patients with chest pain. *Pacing Clin Electrophysiol* 20:5(Part II):291, 1997.

Berger, M.G., C. Vandier, P. Bonnet and N.J. Rusch. Intracellular acidosis: K⁺ channel mechanisms for coronary vasodilation but pulmonary vasoconstriction. *Circulation* 96:1:296, 1997.

Krum D, Hare J, Mughal K, Dhala A, Sra J, Akhtar M, Jazayeri M: Synchronization of atrial defibrillation shocks to ventricular Pacing Clin Electrophysiol beats during heart rate deceleration improves safety. *Circulation* 96:8:1-207, 1997.

Krum D, Hare J, Mughal K, Narasimhan C, Deshpande S, Dhala A, Blanck Z, Jazayeri M, Akhtar M, Sra J: Optimal Electrode configuration reduces energy requirements for internal atrial defibrillation. *Pacing Clin Electrophysiol* 20:5(Part II):1127, 1997.

Maglio C, Akhtar M, Blanck Z, Deshpande S, Dhala A, Jazayeri M, Sra J: Atrial Defibrillation with implanted atrial defibrillator in patients with spontaneous atrial fibrillation. *Circulation* 96:8:1-75, 1997.

Maglio C, Akhtar M, Blanck Z, Deshpande S, Dhala A, Jazayeri M, Sra J: Atrial fibrillation detection and synchronization during atrial fibrillation in patients with implanted atrial defibrillator. *Circulation* 96:8:1-522, 1997.

Narasimhan C, Blanck Z, Deshpande S, Handa K, Dhala A, Jazayeri M, Akhtar M: Facilitation of bundle branch reentry after prosthetic valve replacement. *J Am Coll Cardiol* 29(2):427A, 1997.

Narasimhan C, Blanck Z, Deshpande S, Rehman A, Jazayeri M, Akhtar M: Clinical substrates for inducible monomorphic VT among patients with valvular heart disease. *J Am Coll Cardiol* 29(2):506A, 1997.

Narasimhan C, Dhala A, Deshpande S, Sra J, Handa K, Jazayeri M, Akhtar M: Feasibility and long-term outcome of ICD implantation in patients with left ventricular ejection fraction <20%. *J Am Coll Cardiol* 29:2:256A, 1997.

Narasimhan C, Sra J, Blanck Z, Dhala A, Biehl M, Deshpande S, Jazayeri M, Akhtar M: Spontaneous reinitiation of atrial fibrillation following transvenous atrial defibrillation. *J Am Coll Cardiol* 29:2:292A, 1997.

Natale A, Greenfield R, Pacifico A, Ruskin J, Strickberger A, O'Neill P, Li H, Steinhaus D, Olshansky B, Fitzgerald D, Sra J, Axtell K, Winters S, Beheiry S. Defibrillator implant and psychiatric disorders: Differences between self-reported and psychiatrist-assisted assessment. *Pacing Clin Electrophysiol* 20:4:475, 1997.

Pacifico A, Tomassoni G, Barold H, Sra J, Henderson P, Woverton A, Natale A. Implant of the "hot" can on the right side: Effect of superior vena cava electrode and feasibility. *Pacing Clin Electrophysiol* 20:4:1071, 1997.

Panotopoulos P, Keelan E, Narasimhan C, Deshpande S, Akhtar M, Jazayeri M: The impact of selective slow pathway ablation Wenckebach and 2:1 AV conduction physiology. *Pacing Clin Electrophysiol* 20:1202, 1997.

Panotopoulos P, Krum D, Axtell K, Blanck Z, Dhala A, Jazayeri M, Sra J, Akhtar M, Deshpande S: Comparison of ventricular fibrillation sensing by implantable defibrillator systems: is one better than the others? *Circulation* 96:8:I-696, 1997.

Rehman A, Sra J, Axtell K, Maglio C, Jazayeri M, Dhala A, Blanck Z, Deshpande S, Akhtar M: Routine clinical follow-up fails to detect high voltage lead failure: result of follow-up in 1006 patients with implanted defibrillators. *Circulation* 96:8:I-694, 1997.

Schmidt D, Werner P, Deshpande S, Francischelli D, Chekanov V. How to prevent sudden death after dynamic cardiomyoplasty. 7th World Congress: Progress and Future Trends (abstract book). Dusseldorf, Germany, 1997, 139.

Sra J, Jung W, Luderitz B, Ayers G, Akhtar M. Acute to chronic changes in atrial defibrillation thresholds using the perimeter lead system. *Circulation* 96:8:I-208, 1997.

Narasimhan C, Jazayeri M, Sra J, Dhala A, Deshpande S, Biehl M, Akhtar M, Blanck Z. Ventricular tachycardia in valvular heart disease: Facilitation of sustained bundle-branch reentry by valve surgery. *Circulation* 96:8:I-4307, 1997.

1996

Natale A, Geiger M, **Maglio C**, Newby K, Dhala A, Akhtar M, Sra J: Recurrence of neurocardiogenic syncope without pharmacologic interventions. *Am J Cardiol* 77:1001, 1996.

Berger, MG, Roth, JA, Hoettels J, Gadhoke A. Distinct characteristics of the inner and outer T-wave shock induction zones in patients with ventricular tachycardia and fibrillation. *Circulation* 94, I-100, 1996.

Blanck Z, Maglio C, Budziszewski M, Sra J, Panotopoulos P, Anderson A, Akhtar M: Neurologic "work-up" in patients with syncope in the era of managed care: Resource utilization and cost. *Pacing Clin Electrophysiol* 19:II-742,1996.

Dhala A, Lewis D, Zlotocha J, Henke L: Tilt table testing in children and adolescents: what is the optimal duration and tilt angle? *Pacing Clin Electrophysiol* 19:4:(Part II):199, 1996.

Dhala A, Underwood D, Madu E, Angel J, Multicenter P HiRes Study: Gender specific differences in the P wave signal averaged electrocardiogram. *Circulation* 94:8:I-70, 1996.

Geiger MJ, Newby KH, Tomassoni G, Brandon J, Kearney MM, Kent V, Sra J, Akhtar M, Natale A. Effect of fast pacing rate on prevention of cardioinhibitory neurally-mediated syncope. *Pacing Clin Electrophysiol* 19:II-616, 1996.

Keelan ET, Krum D, Hare J, Mughal K, Li H, Akhtar M, Jazayeri M: The "R on T" phenomenon during supraventricular extrasystoles: Fact or fiction? *J Am Coll Cardiol* 27:400A, 1996.

Keelan ET, Krum D, Hare J, Mughal K, Li H, Akhtar M, Jazayeri M: The safety of atrial defibrillation in the presence of bundle branch block: A proposal for new criteria. *J Am Coll Cardiol* 27:312A, 1996.

Keelan ET, Krum D, Hare J, Mughal K, Li H, Akhtar M, Jazayeri M: Atrial defibrillation shocks synchronized to QRS complexes preceded by short-to-long cycles: Minimal heart rate deceleration may protect against ventricular proarrhythmia. *Pacing Clin Electrophysiol* 19:II-647, 1996.

Keelan ET, Krum D, Hare J, Mughal K, Sra J, Akhtar M, Jazayeri M: Determination of the minimum heart rate deceleration for safe atrial defibrillation. *Circulation* 94:8:I-71, 1996.

Krum D, Keelan ET, Hare J, Mughal K, Krebs A, Li H, Akhtar M, Jazayeri M: Effect of procainamide on the safety of atrial defibrillation shocks synchronized to QRS complexes with bundle branch block. *Pacing Clin Electrophysiol* 19:II-695, 1996.

Krum DP, Keelan ET, Hare J, Mughal K, Akhtar M, Sra J, Jazayeri M: Does the QRS duration have any impact on the safety of atrial defibrillation? *Circulation* 94:8:I-71, 1996.

Lau CP, Tse HF, Jung W, Luderitz B, Sra J, Akhtar M, Sopher M, Camm AJ. Safety and efficacy of an human implantable defibrillator for atrial fibrillation. *Circulation* 94:8:I-562, 1996.

Lewis D, Dhala A, Zlotocha J, Henke L. False positive tilt table testing in normal control adolescents: lack of specificity with an 80° tilt angle. *Circulation* 92:8:I-72, 1996.

Li H, Dhala A, Biehl M, Keelan ET, Blanck Z, Sra J, Jazayeri M, Akhtar M: Dramatically prolonged ventricular vulnerable period of abnormal ventricular activation during atrial defibrillation. *J Am Coll Cardiol* 27:(Part II):347A, 1996.

Li H, Hare H, Mughal K, Krum D, Keelan ET, Biehl M, Deshpande S, Jazayeri M, Akhtar M: Safety of atrial defibrillation: The importance of pre-shock R-R intervals and the risk of premature ventricular contractions. *J Am Coll Cardiol* 27:301A, 1996.

Maglio C, Ayers G, Tidball E, Sra J, Dhala A, Blanck Z, Biehl M, Deshpande S, Akhtar M: Health care utilization and cost of care in patients with symptomatic atrial fibrillation. *Circulation* 94:8:I-169, 1996.

Maglio C, Sra J, Deshpande S, Narasimhan C, Akhtar, M: Use of midodrine hydrochloride in the treatment of patients with refractory neurocardiogenic syncope. *Circulation* 94:8:1-624, 1996.

Narasimhan C, Dhala A, Deshpande S, Axtell K, Panotopoulos P, Akhtar M: Prediction of recurrence of ventricular arrhythmias in a high-risk population: can electrocardiographic indices of repolarization help? *Circulation* 94:8:I-505, 1996.

Narasimhan C, Sra J, Deshpande S, Keelan E, Dhala A, Panotopoulos P: Reversing the initial phase polarity of biphasic shocks: is the effect on the defibrillation threshold reproducible? *Circulation* 94:8:I-439, 1996.

Narasimhan C, Sra J, Maglio C, McCann S, Deshpande S, Panotopoulos P, Biehl M. Clinical spectrum of neurocardiogenic syncope: Effect of treatment on related symptoms. *Circulation* 94:8:I-334, 1996.

Sra J, Maglio C, Chen V, Adler S, Kim J, Griffen J, Dhala A, Biehl M, Akhtar M: Atrial fibrillation detection in humans using the METRIX™ atrial defibrillation system. *J Am Coll Cardiol* 27:(Part II):375A, 1996.

Sra, J, Wharton M, Biblo L: Feasibility of METRIX™ atrial defibrillation system in humans with atrial fibrillation. *J Am Coll Cardiol* 27:2:375A, 1996.

1995

Biehl M, Deshpande S, Sra J, Dhala A, Blanck Z, Underwood RD, Keelan ET, Akhtar M, Jazayeri MR: Retrograde atrial activation in patients with atrioventricular nodal reentry: evidence for a single anterior nodal exit. *J Am Coll Cardiol* 25:129A, 1995.

Biehl M, Keelan ET, Underwood RD, Deshpande S, Dhala A, Blanck Z, Li H, Sra J, Akhtar M, Jazayeri MR: Temporal changes in atrioventricular nodal refractoriness post slow pathway ablation. *Circulation* 92: 8:I-213, 1995.

Dhala A, Blanck Z, Budziszewski M, Biehl M, Deshpande S, Sra JS, Jazayeri MR, Akhtar M: Electrophysiologic endpoints of successful radiofrequency catheter modification for atrioventricular nodal reentrant tachycardia. are there “good” and “bad” persistent echoes. *J Am Coll Cardiol* 25:128A, 1995.

Keelan E, Axtell K, Deshpande S, Dhala A, Biehl M, Blanck Z, Jazayeri M, Sra J, Akhtar M: Initial experience with transvenous pectoral defibrillator implantation. Irish Cardiac Society Annual General Meeting, November 1996.

Keelan E, Bremner S, Dhala A, Deshpande S, Blanck Z, Sra J, Jazayeri M, Akhtar M: Radiofrequency ablation of accessory atrioventricular pathways. Irish Cardiac Society Annual General Meeting, November 1995.

Keelan E, Bremner S, Dhala A, Deshpande S, Blanck Z, Sra J, Jazayeri M, Akhtar M: Selective slow path-way ablation for elimination of atrioventricular nodal reentrant tachycardia: safety and efficacy of stepwise anatomical approach. Irish Cardiac Society Annual General Meeting, November 1995.

Keelan ET, Biehl M, Deshpande S, Underwood RD, Sra J, Blanck Z, Dhala A, Li H, Akhtar M, Jazayeri MR: Retrograde concealment in the common pathway: further evidence against participation of the His bundle in atrioventricular nodal reentry. *Circulation* 92:I-13, 1995.

Keelan ET, Dhala A, Axtell K, Maglio C, Budziszewski M, Sra J, Blanck Z, Jazayeri M, Deshpande S, Biehl M, Akhtar M. Driving habits and experience of patients with implantable cardioverter-defibrillators. *Pacing Clin Electrophysiol* 18:4:(Part II):948, 1995.

Keelan ET, Dhala A, Sra J, Axtell K, Maglio C, Jazayeri M, Blanck Z, Deshpande S, Biehl M, Akhtar M: Driving safety in patients with implantable cardioverter-defibrillators: a single center experience. *J Am Coll Cardiol* 25:145A, 1995.

Keelan ET, Krum D, Hare J, Mughal K, Krebs A, LI H, Akhtar M, Jazayeri M: Safety of atrial defibrillation shocks synchronized to different phases of normally conducted QRS complexes. *Circulation* 92:I-141,1995.

Keelan ET, Sra J, Axtell K, Maglio C, Bahl VK, Jazayeri M, Dhala A, Blanck Z, Deshpande S, Biehl M, Akhtar M: Effect of lead polarity on the defibrillation threshold of pectorally implanted cardioverter defibrillators. *J Am Coll Cardiol* 25:279A, 1995.

Keelan ET, Sra J, Axtell K, Maglio C, Bahl VK, Jazayeri M, Dhala A, Blanck Z, Deshpande S, Biehl M, Akhtar M. Pectorally implanted cardioverter-defibrillators: the "active CAN" advantage. *Pacing Clin Electrophysiol* 18:4:(Part II):875, 1995.

Krum D, Shetty S, Hare J, Mughal K, Ishii TK, Krebs A, Deshpande S, Li H, Biehl M, Keelan ET, Akhtar M, Jazayeri M: A new microwave antenna design for optimal transvenous cardiac tissue ablation. *Circulation* 92:I-794, 1995.

Li H, Axtell K, Biehl M, Deshpande S, Dhala A, Blanck Z, Sra J, Jazayeri MR, Akhtar M: Sudden death in patients with implantable cardioverter defibrillators (ICD). *Circulation* 92:I-783, 1995.

Li H, Hare J, Mughal K, Krum D, Biehl M, Deshpande S, Dhala A, Blanck Z, Sra J, Jazayeri MR, Akhtar M: Selected linear ablation of the right atrium shortens atrial fibrillation duration but produces atrial flutter. *Circulation* 92:I-265,1995.

Natale A, Newby K, Sra J, Deshpande S, Axtell K, Kearney P, Brandon J, Wharton M, Akhtar M: Defibrillation efficacy of biphasic impulses in humans: Importance of duration and peak voltage of the negative phase. *Pacing Clin Electrophysiol* 18:II-950, 1995.

Natale A, Sra J, Dhala A, Biehl M, Wase A, Deshpande S, Maglio C, Budziszewski M, Akhtar M: Does vasodepressor syncope require normal ventricular function? *J Am Coll Cardiol* 25:92A, 1995.

Natale A, Sra J, Dhala A, Deshpande S, Jazayeri M, Akhtar M: Is it possible to predict the response to beta-blocker treatment in patients with neurocardiogenic syncope? *Pacing Clin Electrophysiol* 18:4:(Part II):950, 1995.

Natale A, Sra J, Dhala A, Newby K, Axtell K, Budziszewski M, Akhtar M: Redetection of ventricular fibrillation after subthreshold shocks: prospective analysis with standard bipolar and integrated bipolar sensing systems. *J Am Coll Cardiol* 25:15A, 1995.

Natale A, Sra J, Newby K, Dhala A, Deshpande S, Jazayeri M, Akhtar M: Specificity of head-up tilt testing with different isoproterenol infusion rate in volunteers 60 years and older. *Pacing Clin Electrophysiol* 18:4:(Part II):844, 1995.

Natale A, Sra M, Dhala A, Biehl M, Khan M, Maglio C, Akhtar M: Occurrence of syncope in normal volunteers with positive upright tilt test: Protocol-dependent outcome. *Pacing Clin Electrophysiol* 18:4:(Part II):950, 1995.

Underwood RD, Axtell K, Deshpande S, Sra J, Dhala A, Blanck Z, Biehl M, Li H, Keelan ET, Akhtar M, Jazayeri M. Effect of revascularization on arrhythmia recurrence in sudden cardiac death survivors. *Pacing Clin Electrophysiol* 18:4:(Part II):943, 1995.

1994

Avitall B, Hare J, Krum D, Silverstein E, Natale A, Deshpande S, Dhala A: Radiofrequency ablation of atrial fissures: power requirements. *J Am Coll Cardiol* 1A:276A,1994.

Avitall B, Hare J, Mughal K, Silverstein E, Krum D, Natale A, Deshpande S, Dhala A, Akhtar M: Ablation of atrial fibrillation in a dog model. *J Am Coll Cardiol* 1A:276A,1994.

Avitall B, Hare J, Mughal K, Silverstein E, Krum D: Right-Side Driven Atrial Fibrillation in a Sterile pericarditis dog model. *Pacing Clin Electrophysiol* 1994;17(No. 4 Part II): 774.

Biehl M, Sheth M, Wase A, Deshpande S, Moghaddam M, Dhala A, Banks B, Sra J, Broihier T, Akhtar M, Jazayeri M: A new proposal for classification of uncommon atrioventricular nodal reentrant tachycardia. *J Am Coll Cardiol* 1A:249A,1994.

Jazayeri M, Moghaddam M, Deshpande S, Wase A, Biehl M, Banks B, Natale A, Dhala A, Sra J, Akhtar M: Penetration of atrioventricular nodal reentrant circuit during atrial extrastimulation without resetting tachycardia cycle length: Further insights into the anatomic boundary of reentry. *J Am Coll Cardiol* 23(4):367A,1994.

Krum D, Shetty S, Hare J, Silverstein E, Ishii T, Khan M, Biehl M, Wase A, Akhtar M, Jazayeri M: Characteristics of myocardial lesions created using microwave energy: Optimization of antenna design. *Circulation* 90:I-271, 1994.

Natale A, Biehl, Banks B, Maglio C, Krebs A, Budziszewski M, Koch K, Sra J. Recurrence of neurocardiogenic syncope without therapeutic interventions. *Circulation* 90:I-54;1994.

Natale A, Deshpande S, Budziszewski M, Solie J, Axtell K, Krum D, Sra J, Akhtar M. Defibrillation threshold with three different biphasic shapes incorporated in commercially available devices. *Circulation* 90(4):I-499,1994.

Natale A, Dhala A, Axtell K, Maglio C, Jazayeri M, Deshpande S, Wase A, Akhtar M, Sra J: Permanent implant of a biphasic device using a transvenous system: Comparison with a standard monomorphic device using the same lead system *Pacing Clin Electrophysiol* 17:II-757,1994.

Natale A, Dhala A, Deshpande S, Jazayeri M, Avitall B, Wase A, Broihier T, Biehl M, Akhtar M, Sra J: Impact of various isoproterenol infusion rates on the specificity of head-up tilt. *Pacing Clin Electrophysiol* 17: II-748,1994.

Natale A, Sra J, Avitall B, Wase A, Axtell K, Dhala A, Deshpande S, Jazayeri M, Maglio C, Akhtar M: Ventricular fibrillation and polymorphic ventricular tachycardia with critical coronary stenosis: is bypass surgery enough? *J Am Coll Cardiol* 1A:421A,1994.

Natale A, Sra J, Deshpande S, Dhala A, Wase A, Maglio C, Solie J, Budziszewski M, Axtell K, Akhtar M: Effects of the initial polarity of biphasic pulses on defibrillation efficacy. *Circulation* 90:I-228,1994.

Natale A, Sra J, Jazayeri M, Blanck Z, Wase A, Bremner S, Koch K, Akhtar M: Clinical significance of AV nodal block during radiofrequency modification with the posterior approach. *Circulation* 90:I-126,1994.

Shetty S, Ishii T, Krum D, Jazayeri M: Microwave radiator design for endocardium applications. *Proc 29th Microwave Power Symposium* 1994 July; 68-71.

1993

Avitall B, Hare J, Khan M, Zander G, Lesslia C, Dhala A, Deshpande S, Jazayeri M, Sheth M, Akhtar M: Cardioversion, defibrillation, and overdrive pacing of ventricular arrhythmias: The effect of Moricizine on dogs with sustained monomorphic ventricular tachycardia. *Pacing Clin Electrophysiol* 1993;16: II-904.

Avitall B, Hare J, Krum D, Silverstein E, Blanck Z. A new pigtail type catheter for retrograde atrial left-sided accessory pathway mapping and ablation. *Circulation* 88(4):I-63;1993.

Blanck Z, Dhala A, Drum D, Wase A, Avitall B, Sheth M, Deshpande S, Akhtar M, Jazayeri M: Dramatic reduction in ventricular response during atrial fibrillation by ablating the atrioventricular nodal slow path-way: electrophysiologic and clinical implications. *Circulation* 88:I-584, 1993.

Blanck Z, Jazayeri MR, Sra J, Dhala A, Deshpande S, Akhtar M: Bundle branch reentry: a mechanism of sustained wide QRS complex tachycardia in patients with no structural heart disease. *J Am Coll Cardiol* 21:24A,1993.

Deshpande S, Dhala A, Bremner S, Moghaddam M, Natale A, Akhtar M, Jazayeri M: Junctional reentrant tachycardia with spontaneous variations in retrograde conduction time: a new variant of atrioventricular nodal reentry. *Circulation* 88:4:(Part I):398,1993.

Dhala A, Blanck Z, Anderson A, Axtell K, Deshpande S, Avitall B, Jazayeri MR, Sra J, Akhtar M: Implantable cardioverter defibrillator therapy: how important is age in the selection process? *J Am Coll Cardiol* 21:153A,1993.

Dhala A, Blanck Z: Prognostic significance of asystole during head-up tilt testing. *Circulation* 88:I-398, 1993.

Dhala A, Deshpande S, Blanck Z, Wase A, Sheth M, Jazayeri MR, Sra J, Avitall B, Akhtar M: Electrophysiologic significance of new Q-waves in right precordial ECG leads following right bundle ablation. *J Am Coll Cardiol* 21:274A, 1993.

Dhala A, Deshpande S, Natale A, Sheth M, Jazayeri MR, Sra J, Avitall B, Akhtar M: Is "nonclinical" induced ventricular tachycardia a clinical problem? *J Am Coll Cardiol* 21:328A, 1993.

Echt DS, Greene LH, Kudenchuk PJ, DiMarco J, Tang A, Reiter MJ, Scheinman MM, Chapman PD, Akhtar M, Gliner B, and the Biphasic Defibrillation Waveform Investigators: Biphasic waveform is more efficacious than monophasic waveform for transthoracic cardioversion. *Pacing Clin Electrophysiol* 16:II-914, 1993

Jazayeri M, Deshpande S, Moghaddam M, Bremner S, Sheth M, Gilbert C. Atrioventricular nodal "upper common pathway": Further evidence disputing the existence of such an entity. *Circulation* 88:I-203, 1993.

Mughal K, Krum D, Hare J, Lessila C, Khan M, Akhtar M, Avitall B. Time course of lesion maturation as a function of radiofrequency power and time: Correlation with changes in impedance. *J Am Coll Cardiol* 21:II,375A,1993.

Natale A, Dhala A, Babe J, Malone M, Axtell K, Sra J: Experience with two different non-thoracotomy lead systems for implantable defibrillator in 138 consecutive patients. *Circulation* 88:I-215,1993.

Natale A, Sra J, Avitall B, Dhala A, Deshpande S, Jazayeri M, Axtell K, Wase A, Sheth M, Akhtar M: Stability of defibrillation threshold greater than 20 joules with nonthoracotomy lead system. *J Am Coll Cardiol* 21:170A,1993.

Natale A, Sra J, Avitall B, Dhala A, Deshpande S, Jazayeri M, Wase A, Sheth M, Akhtar M: Specificity of head-up tilt: effects of degree of tilt and isoproterenol infusion. *J Am Coll Cardiol* 21:157A, 1993.

Natale A, Sra J, Avitall B, Maglio C, Deshpande S, Axtell K, Wase A, Sheth M, Akhtar M: Does placement of a defibrillation catheter in the coronary sinus affect patency of the vessel and long-term stability of the lead system? *Circulation* 88(4):I-155,1993

Natale A, Sra J, Dhala A, Wase A, Maglio C, Krebs A, Cudnohufsky S, Akhtar M: Clinical follow-up in 327 patients with positive head-up tilt: how should appropriate therapy be chosen? *Circulation* 88:I-398,1993.

Natale A, VanHout W, DeGroot P, Deshpande S, Axtell K, Sra J: Is there a need for multiple waveforms in the next generation of implantable defibrillators? *Circulation* 88(4):I-593,1993.

Natale A, VanHout W, DeGroot P, Deshpande S, Axtell K, Krum D, Sheth M, Sra J: Effects of tilt on biphasic defibrillation efficacy in patients. *Circulation* 88(4):I-114,1993.

Sra J, Natale A, Wase A, Maglio C, Bremner S, Jazayeri M: Atrial premature stimulation via radiofrequency catheter: A guide to identify site of slow pathway ablation. *Circulation* 88(4):I-492,1993.

1992

Avitall B, Dhala A, Hare J, Jazayeri M, Sra J, Akhtar M: Ablation of left sided accessory pathways: Criteria for catheter design. *Pacing Clin Electrophysiol* 15:(Part II):581, 1992.

Avitall B, Hare J, Khan M, Lessila C, Krum D: Monitoring lesion formation and endocardial damage during radio frequency ablation using intracardiac/intravascular ultrasound. *Circulation* 1992;86:I-192.

Avitall B, Hare J, Lessila C, Jazayeri MR, Sra J, Dhala A, Blanck Z, Sheth M, Deshpande S, Akhtar M: Iontophoretic delivery of Flecainide into infarcted myocardium: high tissue concentration and ventricular tachycardia suppression with no hemodynamic effects. *J Am Coll Cardiol* 19:63A, 1992.

Blanck A, Sra JS, Dhala A, Choudhary S, Akhtar M: Midseptal accessory pathway: Electrocardiographic and electrophysiologic features. *Circulation* 86:(Part I):203, 1992.

Deshpande S, Anderson A, Axtell K, Jazayeri MR, Sra J, Avitall B, Dhala A, Blanck Z, Akhtar M: Is implantable cardioverter defibrillator intervention truly lifesaving in patients receiving such therapy? *J Am Coll Cardiol* 19:208A, 1992.

Deshpande S, Anderson A, Dhala A, Jazayeri MR, Sra J, Axtell K, Akhtar M: Clinical non-sustained ventricular tachycardia: is implantation of the cardioverter-defibrillator justifiable? *Circulation* 86:(Part I):394, 1992.

Deshpande S, Blanck Z, Dhala A, Gilbert C, Nest R, Koch K, Akhtar M, Jazayeri M: Lower "turn around" structure in atrioventricular nodal reentrant tachycardia: intranodal or extranodal? *J Am Coll Cardiol* 19: 144A, 1992.

Dhala A, Sra J, Deshpande S, Blanck Z, Akhtar M, Jazayeri MR: Successful radiofrequency catheter ablation of "left-sided" posteroseptal accessory pathways using a right atrial approach: "left-sided" or "right-sided" pathways? *Circulation* 86:(Part I):722, 1992.

Jazayeri MR, Sra J, Dhala A, Blanck Z, Deshpande S, Sheth M, Avitall B, Akhtar M: Slow pathway ablation using a "stepwise" approach in patients with atrioventricular nodal reentrant tachycardia: is pathway "potential" crucial for successful results? *J Am Coll Cardiol* 19:145A, 1992.

Jazayeri MR, Sra J, Dhala A, Deshpande S, Blanck Z, Akhtar M: Interfascicular reentrant ventricular tachycardia: utility of bundle branch potentials in diagnosis and catheter ablation. *Circulation* 86:(Part I):519, 1992.

Khan M, Hare J, Krum D, Lessila C, Avitall B: Endocardial to Epicardial Procainamide Tissue Concentration Gradient in the Acute Infarct: Reverse Effect on the Effective Refractory Period. *Circulation* 1992;86(4):I-720.

Khan M, Hare J, Krum D, Lessila C, Avitall B: The Repeated Use of Ablation Catheters: A Prospective Study. *Circulation* 1992;86(4):I-190.

Lessmeier T, Lehmann M, Fromm B, Akhtar M, DiMarco J, Epstein A, Fogoros R, Estes M, Wilber D, Marchlinski F, Calkins H. How does the outcome of implantable cardioverter-defibrillator (ICD) therapy

for ventricular fibrillation (VF) survivors compare between patients with idiopathic dilated cardiomyopathy (DCM) vs. coronary artery disease (CAD)? *Pacing Clin Electrophysiol* 15: II-541, 1992.

Sra J, Jazayeri M, Dhala A, Deshpande S, Sheth M, Choudhary S, Akhtar M: Slow pathway ablation in patients with atrioventricular nodal reentrant tachycardia and prolonged PR interval during sinus rhythm. *Circulation* 86:I-723,1992.

Sra J, Jazayeri MR, Avitall B, Dhala A, Deshpande S, Blanck Z, Sheth M, Akhtar M: Dual versus multiple atrioventricular nodal pathways in patients undergoing selective fast or slow pathway ablation. *J Am Coll Cardiol* 19:271A,1992.

1991

Avitall B, Hare J, Lessila C, Gao H, Bockoff C, Blanck Z, Jazayeri M, Akhtar M. New generation of catheters for mapping and ablation: A rotating tip and lateral deflectable catheters. *Circulation* 84: II-24, 1991.

Avitall B, Hare J, Lessila C, Zander G, Bockoff C, Sra J, Akhtar M. Implantable epicardial iontophoretic drug delivery system. *Circulation* 84: II-125, 1991.

Avitall B, Hare J, Zandor G, Lessila C, Bockoff C, Dhala A, Deshpande S: Iontophoretic versus intravenous procainamide transport into infarcted tissue. *Circulation* 84:II-501, 1991.

Avitall B, Hare JW, Wilhelm CS, Gal R, Jazayeri M, Tchou PJ, Sra JS, Akhtar M: Iontophoretic delivery of dobutamine: An effective method to increase contractility of non-transmural infarcts. *J Am Coll Cardiol* 17:27A; 1991.

Avitall B, Hare JW, Wilhelm CS, Tchou PJ, Sra JS, Jazayeri M, Troup P, Akhtar M: A new technique for AV nodal modification using perinodal injection of a sclerosing agent. *J Am Coll Cardiol* 17:174A:1991.

Blanck Z, Makal J, Hanson L, Strommen P, Jazayeri M, Akhtar M. Prediction of atrioventricular block during radiofrequency ablation of the fast pathway in atrioventricular nodal reentry. *Circulation* 84:II-235, 1991.

Braunstein E, Bajwa T, Andrei L, Maglio C, Richardson C, Shen Y, Schmidt DH. Early and late outcome of revascularization for unstable angina in octogenarians. *J Am Coll Cardiol* 17(2):151A;1991.

Dhala A, Sra J, Blanck Z, Gonzalez-Zuelgaray J, Dwyer A, Akhtar M, Jazayeri MR: Markedly different sequence of atrial activation during retrograde conduction over "fast" and "slow" pathways in patients with co-existent common and uncommon atrioventricular nodal reentry: isn't the atrium a necessary part of reentrant circuit? *Circulation* 84:235, 1991.

Gonzalez J, Deshpande S, Blanck Z, Jazayeri MR. Functional bundle branch block as a remote manifestation of retrograde concealment in the His Purkinje system. *Circulation* 84:II-584, 1991

Jazayeri M, Hempe S, Blanck Z, Krum D, Sra J, Troup P, Akhtar M: Modification of atrioventricular node using radiofrequency current in patients with reentrant tachycardia. *J Am Coll Cardiol* 17:365A:1991.

Jazayeri M, Sra J, Krum D, Nest R, Al-Bitar I, Bajwa T, Akhtar M. Abolition of left sided accessory pathways using radiofrequency energy: Efficacy of atrial insertion site ablation. *Circulation* 84:II-24, 1991.

Jazayeri MR, Dhala A, Koch K, Sra J, Avitall B, Deshpande S, Tchou P, Akhtar M: Atrioventricular nodal reentry in patients with accessory pathways: a suitable substrate for preexcited tachycardia. *Pacing Clin Electrophysiol* 14:278, 1991.

Jazayeri MR, Sra J, Avitall B, Dhala A, Deshpande S, Blanck Z, Hempe S, Akhtar M: Selective ablation of "fast" versus "slow" pathway in patients with atrioventricular nodal reentrant tachycardia: which technique is superior? *Circulation* 84:(Part II):583, 1991.

Meissner MD, Mosteller RD, Steinman RT, Akhtar M, Cannom D, Epstein A, Fogoros R, Liem LB, Marchlinski F, Myerburg R, Veltri E, Schuger C, Lehmann MH: Cardiac arrest in patients without significant structural heart disease: A multicenter experience with implantable cardioverter-defibrillator therapy. *J Am Coll Cardiol* 17:92A; 1991.

Sra J, Yue-Hua Shen: Variable response to beta-blockers. Difference in mechanoreceptors or beta-adrenergic tone in patients with neurocardiogenic syncope. *Circulation* 84:II-234, 1991.

Sra J, Dhala A, Deshpande S, Krum D, Jazayeri MR: Spectrum of atrioventricular node conduction following successful radiofrequency ablation in patients with dual pathway physiology. *Circulation* 84:(Part II):235, 1991.

Sra J, Dhala A, Yen Shen H, Akhtar M: Efficacy of atrioventricular pacing in preventing hypotension in patients with significant bradycardia or asystole during head-up tilt test. *Circulation* 84:(Part II):234, 1991.

Sra J, Jazayeri M, Murthy V, Tchou P, Shen Y, Troup P, Avitall B, Akhtar M: Sequential catecholamine changes during upright tilt: Possible hormonal mechanisms responsible for pathogenesis of neurocardiogenic syncope. *J Am Coll Cardiol* 17:216A:1991.

Sra J, Krebs A, Axtell K, Dhala A, Akhtar M: Actuarial probability of AICD shocks in sudden death survivors with no inducible ventricular tachycardia. *Circulation* 84:(Part II):21, 1991.

Tchou P, Axtell K, Avitall B, Akhtar M: Benefit of automatic defibrillator implant: Survival after reception of appropriate shock. *Pacing Clin Electrophysiol* 14:719; 1991.

Tchou P, Axtell K, Sra J, Akhtar M: When is it safe not to replace an implantable cardioverter defibrillator generator? *Pacing Clin Electrophysiol* 14:641; 1991.

Tchou P, Axtell K, Troup P, Akhtar M: Comparative survival of implantable cardioverter defibrillator patients who do and do not receive appropriate shocks. *Pacing Clin Electrophysiol* 14:719; 1991.

Tchou PJ, Krebs AC, Axtell K, Sra J, Jazayeri M, Troup P, Akhtar M: Implantable defibrillators: antiarrhythmic therapy of choice in high-risk patients with dilated cardiomyopathy. *J Am Coll Cardiol* 17: 351A:1991.

Tchou PJ, Krebs AC, Sra J, Avitall B, Jazayeri M, Troup P, Akhtar M: Syncope: A warning sign of sudden death in idiopathic dilated cardiomyopathy patients. *J Am Coll Cardiol* 17:196A: 1991.